



## 2.5-APH-GS-S-C-P-C – Cast Air Pipe Head 2.5?

### Description

Prevents seawater from entering tanks

Allows air/vapor to escape when tank is filling

Allows air intake when tank is discharging

Vertical orientation is ideal for reducing weight and eliminates the need for a gooseneck pipe bend

### PRODUCT TYPE

1. simple

### PRODUCT CAT

1. Commercial & Recreational
2. Air Pipe Heads
3. Cast Air Pipe Heads

### PRODUCT SHIPPING CLASS

1. Taxable Goods

### PA APPROXIMATE-WEIGHT-LB

1. '26

### PA CLOSING-DEVICE-OPTION

1. Closing Device

### PA CONNECTION

1. Socket Weld

### PA CONSTRUCTION

1. Internal housing is removable for easy maintenance

**PA DIMENSION-C-IN**

1. '6

**PA DIMENSION-D-IN**

1. '7.5

**PA DIMENSION-E-IN**

1. '7.5

**PA DIMENSION-F-IN**

1. '4.5

**PA DIMENSION-G-IN**

1. '3.5

**PA FLAME-INSECT-SCREEN**

1. Corrosion Resistant For Ignition Protection Easily Accessible For Maintenance

**PA FLOAT-OPTION**

1. Polyethylene (Hdpe)

**PA FLOW-RATE-AT-3-625-PSI-GPM**

1. '160

**PA HARDWARE**

1. Stainless Steel

**PA MATERIAL**

1. Galvanized Steel

**PA MAX-INLET-AIR-SPEED-MPERS**

1. '22

**PA MINIMUM-ORDER**

1. 1

**PA NITRILE-SEAL**

1. Maximize Low Pressure Sealing Oil And Fuel Resistant

#### **PA NOTES**

1. Air Intake Tested With Polyethylene Float (Lightest Float) And The Water Pumped Through The Vent Check Valves For The Flow Rate.

#### **PA PACKAGE-TYPE**

1. Each

#### **PA UNITS-PER-PACKAGE**

1. 1

#### **Date**

2025/06/06

#### **Date Created**

2024/03/23

#### **Meta Fields**

**Tax Status :** none

**Manage Stock :** no **Stock Status :** instock

**Sku :** 2.5-APH-GS-S-C-P-C

Hydrasearch