



## 2-APH-A-F-R-C – Aluminum Air Pipe Head 2?

### Description

Prevents seawater from entering tanks

Allows air/vapor to escape when tank is filling

Allows air intake when tank is discharging

Vertical orientation is ideal for reducing weight and eliminates the need for a gooseneck pipe bend

### PRODUCT TYPE

1. simple

### PRODUCT CAT

1. Commercial & Recreational
2. Air Pipe Heads
3. Aluminum Air Pipe Heads (APH-A)

### PRODUCT SHIPPING CLASS

1. Taxable Goods

### PA APPROXIMATE-WEIGHT-LB

1. 7

### PA CLOSING-DEVICE-OPTION

1. Closing Device

### PA CONNECTION

1. Flanged (holes are slotted to accommodate ANSI B16.5 and DN PN10/16 flange mount dimensions)

### PA DIMENSION-A-IN

1. '2

**PA DIMENSION-B-IN**

1. '8.63

**PA DIMENSION-C-IN**

1. '5.5

**PA DIMENSION-D-IN**

1. '6

**PA DIMENSION-E-IN**

1. '6.75

**PA FLAME-INSECT-SCREEN**

- 1. 30 mesh Corrosion resistant for ignition protection Easily accessible for maintenance Design allows for closing option with screen in place

**PA FLOAT**

- 1. High Density Polyethylene (Hdpe) Full Round

**PA FLOW-RATE-AT-3-625-PSI-GPM**

1. '95

**PA HARDWARE**

- 1. Stainless Steel

**PA MATERIAL**

- 1. Aluminum

**PA MAX-INLET-AIR-SPEED-MPERS**

1. '12.4

**PA MINIMUM-ORDER**

1. 1

**PA NITRILE-SEAL**

- 1. Maximize Low Pressure Sealing Oil And Fuel Resistant

## PA NOTES

1. Air Intake Tested With Polyethylene Float (Lightest Float) And The Water Pumped Through The Vent Check Valves For The Flow Rate.

## PA PACKAGE-TYPE

1. Each

## PA UNITS-PER-PACKAGE

1. 1

### Date

2024/11/20

### Date Created

2024/04/25

### Meta Fields

**Tax Status :** none

**Manage Stock :** no **Stock Status :** instock

**Sku :** 2-APH-A-F-R-C

Hydrasearch