



5-PM1-A-T-C – Inverted Vent Check (Half Float) 5?

# **Description**

Prevents seawater from entering tanks
Allows air/vapor to escape when tank is filling
Allows air intake when tank is discharging
Inverted (gooseneck) design offers simplest means for your requirements
Design makes disassembly fast and easy

### **PRODUCT TYPE**

1. simple

### **PRODUCT CAT**

- 1. Commercial & Recreational
- 2. Inverted Vent Check Valves
- 3. Inverted Vent Check Valves PM1 Series Half Float

#### PRODUCT SHIPPING CLASS

1. Taxable Goods

### PA APPROXIMATE-WEIGHT-LB

1. '29

### PA CLOSING-DEVICE-OPTION

1. Closing Device Innovative design is simple and cost effective

### **PA CONNECTION**

1. Threaded

#### PA CONSTRUCTION



1. Four (4) Guide Ribs To Assure Proper Sealing Recessed Cap; Eliminates Catch Points

#### PA DIMENSION-C-IN

1. '10.13

### PA DIMENSION-D-IN

1. '8.25

#### PA DIMENSION-E-IN

1. '10

#### PA DIMENSION-F-IN

1. '3.5

#### PA DIMENSION-G-IN

### PA FLAME-INSECT-SCREEN

1. '1

A FLAME-INSECT-SCREEN

 1. Corrosion Resistant For Ignition Protection Easily Accessible For Maintenance

#### PA FLOAT-OPTION

1. Stainless Steel (Standard) Full Round Seamless Polished Stainless Steel Float Assures A Positive Seal

#### PA FLOW-RATE-AT-3-625-PSI-GPM

1. '690

### **PA HARDWARE**

Stainless Steel

# **PA MATERIAL**

1. Aluminum 535

# PA MAX-INLET-AIR-SPEED-MPERS

1. '10

### PA MINIMUM-ORDER

1. 1



# **PA NITRILE-SEAL**

1. Maximize Low Pressure Sealing Oil And Fuel Resistant

# **PA NOTES**

1. Air Intake Tested With Polyethylene Float (Lightest Float) And The Water Pumped Through The Vent Check Valves For The Flow Rate.

### PA PACKAGE-TYPE

1. Each

### PA PIPE-SIZE-A-IN

1. '5 In

### PA UNITS-PER-PACKAGE

1. 1

### PA VALVE-CAP

Eliminates need for a spacer ring and protective screen

te

**Date** 

2025/07/18

**Date Created** 2024/03/23

**Meta Fields** 

Tax Status: none Manage Stock: no Stock Status: instock

Sku: 5-PM1-A-T-C