



90EF-1488B1-2032 – End Fittings – 90° – Flange to Hose (MIL-DTL-24787/1, Type FL, Group VIII, Class I, 400 Lb. Flange per MIL-PRF-20042)

Description

Use with the following hose: Synthetic yarn and wire reinforced hoses i.a.w. MIL-DTL-24136/3, MIL-DTL-24135/10/12, e.g. HS P/N 2580

PRODUCT TYPE

1. simple

PRODUCT CAT

1. Flange to Hose (MIL-DTL-24787/1 Type FL Group VIII Class I 400 Lb. Flange per MIL-PRF-20042)

PA APPLICABLE-HOSES

1. Synthetic yarn and wire reinforced hoses in accordance with MIL-DTL-24136/3

PA COMPONENT-1

1. Required per Assembly - 1 Description - Elbow Assembly Material - Monel/Cuni C19099

PA COMPONENT-2

1. Required per Assembly - 1 Description - Socket C18662 Material - Monel in accordance with QQ-N-281

PA COMPONENT-3

1. Required per Assembly - 1 Material - Bronze Description - Flange C19519

PA DIM-A-IN

1. '5.68

PA DIM-C-IN

- 1. '2.44

PA DIM-D-IN

- 1. '3.84

PA DIM-G-IN

- 1. '2.25

PA DIMENSION-H-IN

- 1. '3.74

PA DIMENSION-J-IN

- 1. '5.38

PA DIMENSION-L-IN

- 1. '4.06

PA DIMENSION-M-IN

- 1. '0.69

PA DIMENSION-N-IN

- 1. '0.81

PA DIMENSION-R-IN

- 1. '2.50

PA ESTIMATED-WEIGHT-LBS

- 1. 4.2

PA HYDRASEARCH-DRAWING-NO

- 1. C19607

PA IPS-SIZE-IN

- 1. '1-1/4

PA MIL-SPEC

- 1. MIL-DTL-24787/1

Hydrasearch

PA NO-OF-BOLT-HOLES

1. '5

Date

2024/09/20

Date Created

2024/02/19

Meta Fields

Tax Status : none

Manage Stock : no **Stock Status :** instock

Sku : 90EF-1488B1-2032

Hydrasearch