



90EF-1488B4-2432 – End Fittings – 90° – Flange to Hose (MIL-DTL-24787/1, Type FL, Group VIII, Class V, 150 Lb. Flange per A.N.S.I. B16.5)

## Description

**Use with the following hose:** Synthetic yarn and wire reinforced hoses i.a.w. MIL-DTL-24136/3, MIL-DTL-24135/10/12, e.g. HS P/N 2580

## PRODUCT TYPE

1. simple

## PRODUCT CAT

1. Flange to Hose (MIL-DTL-24787/1 Type FL Group VIII Class V 150 Lb. Flange per A.N.S.I. B16.5)

## PA APPLICABLE-HOSES

1. Synthetic yarn and wire reinforced hoses in accordance with MIL-DTL-24136/3

## PA COMPONENT-1

1. Required per Assembly - 1 Description - Elbow Assembly Material - Monel/Cuni C19100

## PA COMPONENT-2

1. Required per Assembly - 1 Description - Socket C18662 Material - Monel in accordance with QQ-N-281

## PA COMPONENT-3

1. Required per Assembly - 1 Description - Flange C18797 Material - Aluminum Bronze in accordance with ASTM B505 C95400

## PA DIM-A-IN

1. '5.68

**PA DIM-C-IN**

1. '2.44

**PA DIM-D-IN**

1. '3.84

**PA DIM-G-IN**

1. '2.25

**PA DIMENSION-H-IN**

1. '3.74

**PA DIMENSION-J-IN**

1. '5.00

**PA DIMENSION-L-IN**

1. '3.88

**PA DIMENSION-M-IN**

1. '0.62

**PA DIMENSION-N-IN**

1. '0.42

**PA DIMENSION-R-IN**

1. '2.50

**PA ESTIMATED-WEIGHT-LBS**

1. 5.4

**PA HYDRASEARCH-DRAWING-NO**

1. C19576

**PA IPS-SIZE-IN**

1. '1-1/2

**PA MIL-SPEC**

Hydrasearch

1. MIL-DTL-24787/1

**PA NO-OF-BOLT-HOLES**

1. 4

**Date**

2024/09/20

**Date Created**

2024/02/19

**Meta Fields**

**Tax Status :** none

**Manage Stock :** no **Stock Status :** instock

**Sku :** 90EF-1488B4-2432

Hydrasearch