



90EF-1488B5-1220 – End Fittings – 90° – Flange to Hose (MIL-DTL-24787/1, Type FL, Group VIII, Class II, 150/400 Lb. Flange per MIL-PRF-20042)

Description

Use with the following hose: Synthetic yarn and wire reinforced hoses i.a.w. MIL-DTL-24136/3, MIL-DTL-24135/10/12, e.g. HS P/N 2580

PRODUCT TYPE

1. simple

PRODUCT CAT

1. Flange to Hose (MIL-DTL-24787/1 Type FL Group VIII Class II 150/400 Lb. Flange per MIL-PRF-20042)

PA APPLICABLE-HOSES

1. Synthetic yarn and wire reinforced hoses in accordance with MIL-DTL-24136/3

PA COMPONENT-1

1. Required per Assembly - 1 Description - Elbow Assembly Material - Monel/Cuni C19097

PA COMPONENT-2

1. Required per Assembly - 1 Description - Socket C18703-2 Material - Monel in accordance with QQ-N-281

PA COMPONENT-3

1. Required per Assembly - 1 Description - Flange C19525 Material - Aluminum Bronze in accordance with MIL-B-24480 C95400

PA DIM-A-IN

1. '4.27

PA DIM-C-IN

1. '1-3/4

PA DIM-D-IN

1. '2.91

PA DIM-G-IN

1. '1.62

PA DIMENSION-H-IN

1. '2.87

PA DIMENSION-J-IN

1. '3.81

PA DIMENSION-L-IN

1. '2.69

PA DIMENSION-M-IN

1. '0.56

PA DIMENSION-N-IN

1. '0.69

PA DIMENSION-R-IN

1. '1.75

PA ESTIMATED-WEIGHT-LBS

1. 2.8

PA HYDRASEARCH-DRAWING-NO

1. C19597

PA IPS-SIZE-IN

1. '3/4

PA MIL-SPEC

Hydrasearch

1. MIL-DTL-24787/1

PA NO-OF-BOLT-HOLES

1. 4

Date

2024/11/14

Date Created

2024/02/19

Meta Fields

Tax Status : none

Manage Stock : no **Stock Status :** instock

Sku : 90EF-1488B5-1220

Hydrasearch