



90EF-449B3-3.5-64 – End Fittings – 90° – Hose to Flange (MIL-DTL-24787/1, Type FL, Group IV, Class IV, 150 Lb. Flange per MIL-PRF-20042)

## Description

*Equal to Aeroquip P/N 375-190656*

**Use with the following hose:** HS4265, HS4224 2652, 150901

## PRODUCT TYPE

1. simple

## PRODUCT CAT

1. Hose to Flange (MIL-DTL-24787/1 Type FL Group IV Class III 250 Lb. Flange per MIL-PRF-20042)

## PA APPLICABLE-HOSES

1. HS4265 HS4224 2652 150901

## PA COMPONENT-1

1. Required per Assembly - 1 Description - Swivel Flange C17938 Material - Aluminum Bronze in accordance with MIL-B-24480 C95800

## PA COMPONENT-2

1. Required per Assembly - 1 Description - Elbow D17890 Material - Aluminum Bronze in accordance with MIL-B-24480 C95800

## PA COMPONENT-3

1. Description - Segment Required per Assembly - 3 D17301-1 Material - Aluminum Bronze in accordance with MIL-B-24480 C95800

---

**PA COMPONENT-4**

1. Description - Bolt Required per Assembly - 6 B17987 Material - Monel in accordance with QQ-N-286

**PA COMPONENT-5**

1. Description - Lock Nut Required per Assembly - 6 B17984 Material - Monel in accordance with QQ-N-281

**PA COMPONENT-6**

1. Description - Washer Required per Assembly - 6 B17986 Material - Monel in accordance with QQ-N-281

**PA DIM-A-IN**

1. '6.80

**PA DIM-D-IN**

1. '3.88

**PA DIMENSION-H-IN**

1. '4.62

**PA DIMENSION-J-IN**

1. '7.19

**PA DIMENSION-K-IN**

1. '5.22

**PA DIMENSION-L-IN**

1. '6.06

**PA DIMENSION-M-IN**

1. '0.56

**PA DIMENSION-N-IN**

1. '0.50

**PA DIMENSION-R-IN**

1. '2.81

**PA DIMENSION-S-IN**

Hydrasearch

1. '3.81

**PA DIMENSION-T-IN**

1. '6.50

**PA EQUAL-TO-AEROQUIP-NO**

1. '265-190656-3-1/2-64 375-190656-3-1/2-64

**PA ESTIMATED-WEIGHT-LBS**

1. 19

**PA HYDRASEARCH-DRAWING-NO**

1. D17939

**PA IPS-SIZE-IN**

1. '3-1/2

**PA MIL-SPEC**

1. MIL-DTL-24787/1

**PA NO-OF-BOLT-HOLES**

1. 8

**PA NSN-NO**

1. 4730-00-928-4250

**Date**

2024/09/20

**Date Created**

2024/02/19

**Meta Fields**

**Tax Status :** none

**Manage Stock :** no **Stock Status :** instock

**Skus :** 90EF-449B3-3.5-64