



90EF-449B4-3-48 – End Fittings – 90° – Hose to Flange (MIL-DTL-24787/1, Type FL, Group IV, Class V, 150 Lb. Flange per A.N.S.I. B16.5)

## Description

*Equal to Aeroquip P/N 375-190769*

**Use with the following hose:** HS4265, HS4224 2652, 150901

## PRODUCT TYPE

1. simple

## PRODUCT CAT

1. Hose to Flange (MIL-DTL-24787/1 Type FL Group IV Class V 150 Lb. Flange per A.N.S.I. B16.5)

## PA APPLICABLE-HOSES

1. HS4265 HS4224 2652 150901

## PA COMPONENT-1

1. Required per Assembly - 1 Description - Swivel Flange C17970 Material - Aluminum Bronze in accordance with MIL-B-24480 C95800

## PA COMPONENT-2

1. Required per Assembly - 1 Description - Elbow D17886 Material - Aluminum Bronze in accordance with MIL-B-24480 C95800

## PA COMPONENT-3

1. Description - Segment Required per Assembly - 3 D17300-1 Material - Aluminum Bronze in accordance with MIL-B-24480 C95800

---

**PA COMPONENT-4**

1. Description - Bolt Required per Assembly - 6 B17673-1 Material - Monel in accordance with QQ-N-286

**PA COMPONENT-5**

1. B18176 Description - Lock Nut Required per Assembly - 6 Material - Monel in accordance with QQ-N-281

**PA COMPONENT-6**

1. B18175 Description - Washer Required per Assembly - 6 Material - Monel in accordance with QQ-N-281

**PA DIM-A-IN**

1. '6.01

**PA DIM-D-IN**

1. '3.09

**PA DIMENSION-H-IN**

1. '4.00

**PA DIMENSION-J-IN**

1. '7.50

**PA DIMENSION-K-IN**

1. '4.44

**PA DIMENSION-L-IN**

1. '6.00

**PA DIMENSION-M-IN**

1. '0.75

**PA DIMENSION-N-IN**

1. '0.48

**PA DIMENSION-R-IN**

1. '2.09

**PA DIMENSION-S-IN**

Hydrasearch

1. '3.31

**PA DIMENSION-T-IN**

1. '5.58

**PA EQUAL-TO-AEROQUIP-NO**

1. '265-190769-3-48 375-190769-3-48

**PA ESTIMATED-WEIGHT-LBS**

1. '14

**PA HYDRASEARCH-DRAWING-NO**

1. D17961

**PA IPS-SIZE-IN**

1. '3

**PA MIL-SPEC**

1. MIL-DTL-24787/1

**PA NO-OF-BOLT-HOLES**

1. 4

**PA NSN-NO**

1. 4730-00-831-1886

**Date**

2024/09/20

**Date Created**

2024/02/19

**Meta Fields**

**Tax Status :** none

**Manage Stock :** no **Stock Status :** instock

**Skus :** 90EF-449B4-3-48