



94B0100080000 – Medium Pressure Rubber Hose Assemblies

Description

Hydrasearch MS28741 medium pressure hose assemblies can be used as flexible connections on medium pressure power plant and airframe applications (see SAE-AIR797). They are especially suited for medium pressure hydraulic fluids, engine oils, fuels and coolant fluids. Hydrasearch medium pressure hose is used for applications with operating pressures up to 3000 PSI, and having a temperature range of -65°F to +250°F. See MIL-DTL-8794 for specific temperature ranges.

PRODUCT TYPE

1. simple

PRODUCT CAT

1. Defense
2. Aerospace Hose & Fittings
3. Hose Assemblies
4. Medium Pressure Rubber Hose Assemblies

PRODUCT SHIPPING CLASS

1. Taxable Goods

PA FINISH

1. Aluminum Alloy - Anodized in accordance with MIL-A-8625

PA FITTING-MIL-SPEC

1. Mil-Dtl-5070

PA GIFT-WRAPPING-AVAILABLE

1. No

PA HOSE-ASSEMBLY-MIL-SPEC

1. Mil-Dtl-8795

PA HOSE-ID-IN

1. '0.406

PA HOSE-MIL-SPEC

1. Mil-Dtl-8794

PA HOSE-SIZE-IN

1. '1/2

PA MATERIAL

1. Aluminum In Accordance With Table 1 Of Mil-Dtl-5070

PA MAX-OPERATING-PRESSURE-PSI

1. 2

PA MIN-BEND-RADIUS-IN

1. '4.625

PA MIN-BURST-PRESSURE-PSI

1. '8

PA MIN-HOSE-ID-IN

1. '0.406

PA MIN-PROOF-PRESSURE-PSI

1. '4

PA MS-PART-NO

1. Ms28741-8-L

PA NOTES

1. Dimensional Information Is For Reference Only. Variations From These Dimensions On Actual Parts May Occur As The Result Of Engineering Revisions.

PA THREAD-SIZE

1. '3/4"-16
-

Date

2024/07/05

Date Created

2024/03/22

Meta Fields

Tax Status : none

Manage Stock : no **Stock Status :** instock

Sku : 94B0100080000

Hydrasearch