



EF-1488A3-1616 – End Fittings – Straight – Flange to Hose (MIL-DTL-24787/1, Type F, Group VIII, Class IV, 150 Lb. Flange per MIL-PRF-20042)

Description

Use with the following hose: Synthetic yarn and wire reinforced hoses i.a.w. MIL-DTL-24136/3, MIL-DTL-24135/10/12, e.g. HS P/N 2580

PRODUCT TYPE

1. simple

PRODUCT CAT

1. Flange to Hose (MIL-DTL-24787/1 Type F
2. Flange to Hose (MIL-DTL-24787/1 Type F Group VIII Class IV 150 Lb. Flange per MIL-PRF-20042)

PA APPLICABLE-HOSES

1. Synthetic yarn and wire reinforced hoses in accordance with MIL-DTL-24136/3

PA COMPONENT-1

1. Required per Assembly - 1 Description - Nipple C19235-2 Material - Monel in accordance with QQ-N-281

PA COMPONENT-2

1. Required per Assembly - 1 Description - Socket C18667-2 Material - Monel in accordance with QQ-N-281

PA COMPONENT-3

1. Required per Assembly - 1 Description - Flange C18815 Material - Aluminum Bronze in accordance with MIL-B-24480 C95800

PA DIM-A-IN

1. '2.72

PA DIM-D-IN

1. '1.52

PA DIMENSION-J-IN

1. '4.25

PA DIMENSION-K-IN

1. '1.500

PA DIMENSION-L-IN

1. '3.13

PA DIMENSION-M-IN

1. '0.56

PA DIMENSION-N-IN

1. '0.44

PA DIMENSION-S-IN

1. '0.71

PA ESTIMATED-WEIGHT-LBS

1. '2.3

PA HYDRASEARCH-DRAWING-NO

1. C19548

PA IPS-SIZE-IN

1. '1

PA MIL-SPEC

1. MIL-DTL-24787/1

PA NO-OF-BOLT-HOLES

1. 4

Date

2024/09/20

Date Created

2024/02/19

Meta Fields

Tax Status : none

Manage Stock : no **Stock Status :** instock

Sku : EF-1488A3-1616

Hydrasearch