



EF-1488A5-2032 – End Fittings – Straight – Flange to Hose (MIL-DTL-24787/1, Type F, Group VIII, Class II, 150/400 Lb. Flange per MIL-PRF-20042)

## Description

**Use with the following hose:** Synthetic yarn and wire reinforced hoses i.a.w. MIL-DTL-24136/3, MIL-DTL-24135/10/12, e.g. HS P/N 2580

## PRODUCT TYPE

1. simple

## PRODUCT CAT

1. Flange to Hose (MIL-DTL-24787/1 Type F Group VIII Class II 150/400 Lb. Flange per MIL-PRF-20042)

## PA APPLICABLE-HOSES

1. Synthetic yarn and wire reinforced hoses in accordance with MIL-DTL-24136/3

## PA COMPONENT-1

1. Required per Assembly - 1 Description - Nipple C19237-2 Material - Monel in accordance with QQ-N-281

## PA COMPONENT-2

1. Required per Assembly - 1 Description - Socket C18662 Material - Monel in accordance with QQ-N-281

## PA COMPONENT-3

1. Required per Assembly - 1 Description - Flange C19527 Material - Aluminum Bronze in accordance with ASTM B505 C95400

**PA DIM-A-IN**

1. '3.49

**PA DIM-D-IN**

1. '1.65

**PA DIMENSION-J-IN**

1. '4.50

**PA DIMENSION-K-IN**

1. '2.750

**PA DIMENSION-L-IN**

1. '3.38

**PA DIMENSION-M-IN**

1. '0.56

**PA DIMENSION-N-IN**

1. '0.81

**PA DIMENSION-S-IN**

1. '1.53

**PA ESTIMATED-WEIGHT-LBS**

1. 3.4

**PA HYDRASEARCH-DRAWING-NO**

1. C19559

**PA IPS-SIZE-IN**

1. '1-1/4

**PA MIL-SPEC**

1. MIL-DTL-24787/1

**PA NO-OF-BOLT-HOLES**

1. 4

**Date**

---

2024/09/20

**Date Created**

2024/02/19

**Meta Fields**

**Tax Status :** none

**Manage Stock :** no **Stock Status :** instock

**Sku :** EF-1488A5-2032

Hydrasearch