



EF-1600A5-2032 – End Fittings – Straight – Flange to Hose (MIL-DTL-24787/1, Type F, Group I, Class II, 150/400 Lb. Flange per MIL-PRF-20042)

Description

Equal to Aeroquip P/N FC9056-463

Use with the following hose: Wire reinforced hoses i.a.w. MIL-DTL-24135/1/5/13

PRODUCT TYPE

1. simple

PRODUCT CAT

1. Flange to Hose (MIL-DTL-24787/1 Type F Group I Class II 150/400 Lb. Flange per MIL-PRF-20042)

PA APPLICABLE-HOSES

1. Wire reinforced hoses in accordance with MIL-DTL-24135/1/5/13

PA COMPONENT-1

1. Required per Assembly - 1 Description - Nipple C19843-1 Material - Monel in accordance with QQ-N-281

PA COMPONENT-2

1. Required per Assembly - 1 Description - Socket C19694-1 Material - Monel in accordance with QQ-N-281

PA COMPONENT-3

1. Required per Assembly - 1 Description - Flange C19527 Material - Aluminum Bronze in accordance with ASTM B505 C95400

PA DIM-A-IN

1. '5.33

PA DIM-D-IN

1. '2.89

PA DIMENSION-J-IN

1. '4.50

PA DIMENSION-K-IN

1. '2.74

PA DIMENSION-L-IN

1. '3.38

PA DIMENSION-M-IN

1. '0.56

PA DIMENSION-N-IN

1. '0.81

PA DIMENSION-S-IN

1. '1.53

PA EQUAL-TO-AEROQUIP-NO

1. Fc9056-2032-176 Fc6056-2032-463

PA ESTIMATED-WEIGHT-LBS

1. 8

PA HYDRASEARCH-DRAWING-NO

1. C20136

PA IPS-SIZE-IN

1. '1-1/4

PA NO-OF-BOLT-HOLES

1. 4

Date

2024/11/22

Date Created

2024/02/19

Meta Fields

Tax Status : none

Manage Stock : no **Stock Status :** instock

Sku : EF-1600A5-2032

Hydrasearch