



HS4182-64 – HS4182 Series – Large Bore Hoses

Description

MIL-DTL-24136/4

Equal to Aeroquip P/N FC132

Use with Hydrasearch HS1546 Series Fittings: Carch

Material: Synthetic rubber tube and cover reinforced with synthetic fiber.

Application: Oil, fuel, fresh and salt water systems.

Operating Temperature Range: -40°F to +200°F

PRODUCT TYPE

1. simple

PRODUCT CAT

- 1. Defense
- 2. Marine Hose & Fittings
- 3. Marine Hose and Assemblies
- 4. HS4182 Series Large Bore Hoses

PRODUCT SHIPPING CLASS

1. Taxable Goods

PA APPLICABLE-FITTINGS

1. HS1546

PA APPLICATION



1. Oil

PA BURST-PRESSURE-PSI

1. 2

PA CONSTRUCTION-REINFORCEMENT

1. Braided Spiral

PA EQUAL-TO-AEROQUIP-NO

1. FC132-64

PA HOSE-ID-IN

1. '4

PA HOSE-SIZE-DASH-NO

1. -64

Hydrasearch PA HYDRASEARCH-DRAWING-NO

1. C17923-3

PA LAYERS-REINFORCEMENT

1. '3 6

PA MATERIAL

1. Synthetic Rubber Tube And Cover Reinforced With Synthetic Fiber

PA MAX-DIMENSION-A-IN

1. '4.062

PA MAX-DIMENSION-B-IN

1. '5.050

PA MIL-SPEC

1. Mil-Dtl-24136/4

PA MIN-BEND-RADIUS-IN

1. '30

PA MIN-DIMENSION-A-IN



1. '3.938

PA MIN-DIMENSION-B-IN

1. '4.800

PANSN-NO

1. 4720-00-933-1463

PA WEIGHT-PER-FT-LBS

1. '3.15

PA WORKING-PRESSURE-PSI

1. '600

Date 2025/07/15 **Date Created** 2024/03/22 **Meta Fields**

Manage Stock: no Stock Status: instock Tax Status: none

Sku: HS4182-64