



## HSSA-48 – HSSA Series – Super Aquaduct Layflat Hoses

### Description

**Use with Hydrasearch LFS Elbows and End Fittings.**

For a complete line of fittings and accessories see *Hydrasearch Layflat & Rubber Hose Catalog*.

Materials: Polyurethane elastomer tube and cover reinforced with high tenacity polyester.

**Application:** Salt and fresh water conveying systems.

**Operating Temperature Range:** -40°F to +200°F

### PRODUCT TYPE

1. simple

### PRODUCT CAT

1. Defense
2. Marine Hose & Fittings
3. Marine Hose and Assemblies
4. HSSA Series - Super Aquaduct Layflat Hoses

### PRODUCT SHIPPING CLASS

1. Taxable Goods

### PA APPLICABLE-FITTINGS

1. Lfs Elbows And End Fittings

### PA APPLICATION

1. Salt And Fresh Water Conveying Systems

**PA BURST-PRESSURE-PSI**

1. 600

**PA CONSTRUCTION-REINFORCEMENT**

1. Polyester

**PA HOSE-ID-IN**

1. '3

**PA HOSE-SIZE-DASH-NO**

1. -48

**PA HYDRASEARCH-DRAWING-NO**

1. '18284

**PA LAYERS-REINFORCEMENT**

1. '1

**PA MATERIAL**

1. Polyurethane Elastomer Tube And Cover Reinforced With High Tenacity Polyester

**PA MAX-DIMENSION-A-IN**

1. '3.06

**PA MAX-DIMENSION-B-IN**

1. '3.24

**PA MIN-DIMENSION-A-IN**

1. '2.97

**PA MIN-DIMENSION-B-IN**

1. '3.15

**PA WEIGHT-PER-FT-LBS**

1. '0.342

**PA WORKING-PRESSURE-PSI**

1. '300

**Date**

---

2024/11/22

**Date Created**

2024/03/22

**Meta Fields**

**Tax Status :** none      **Manage Stock :** no      **Stock Status :** instock

**Sku :**            HSSA-48

Hydrasearch